



GAS ENGINE SERIES



PRESSURE WASHERS / SINCE 1970

FEATURES

4.0 to 4.6 GPM @ 3500 PSI
12 Volt DC Burners



HOT WATER

GAS

BELT DRIVE

Optional heavy-duty flat – free tire kit available

Hotsy DC oil-fired burner

50-ft wire-braided high pressure hose with swivel on one end

Belt-drive pump - slower RPMs than a direct drive pump. Belt drive systems operate smoother, as the belts act as a dampener for vibrations and pressure spikes.

Trigger gun control with cool-grip and pressure wand

Hotsy Belt Drive Gas Engine models are versatile; convert the standard trailer mount unit (above) into a portable unit with 2 wheels / 2 casters, a 4 wheel kit with flat-free tires or a skid unit for moving by forklift.



Lifting eyes let power equipment do the hoisting

Hotsy-designed triplex belt-drive pump carries a 7-year warranty. Slower RPMs provide less wear and tear on the pump, and enables the pump to draw from water tanks.

Protective heavy-duty roll-cage chassis

Downstream detergent injection

Control box with adjustable temperature control lighted burner On/Off switch and hour meter

8-gallon, removable fuel tank has fuel gauge in cap



California Air Resources Board Verified

OPTIONS FOR GAS ENGINE SERIES

Flat-free Tire Kit*

Trailer Mount Brackets

2 Wheel/2 Caster Kit**

Float Tank Kit

Skid Rails†

Stainless Steel Coil Wrap

Wall Mount Remote Kite (3)

Detergent Kit

High Pressure Chem. Kit

* 4 wheel kit with handle – adds 10" to width, 6" to height

** 2 wheel / 2 Caster kit – adds 7.5" to height

† Skids - adds 3.875" to height



Model 1075BE 4.0 GPM @ 3500 PSI; GX390 Honda gas engine (shown with optional caster kit)



Model 1080BE 4.6 GPM @ 3500 PSI; Briggs Vanguard gas engine (shown with optional stainless steel coil wrap and skid rails)

HOTSY.COM WASHING CLEANS LIKE A HOTSY!



GAS ENGINE SERIES | POWERFUL MODELS FOR TOUGH INDUSTRIAL CLEANING.

Hot-Water Belt Drive Models

■ Oil-Fired ■ 3 to 4.6 GPM @ 3000 to 3500 PSI

MODEL	PART NO.	GPM	PSI	ENGINE	CCs	AMPS	BURNER	BTU/HR	PORTABILITY	DIMENSIONS (LXWXH)	SHIP WT (LBS)
1075BE†	1.110-566.0	4.0	3500	Honda GX390	389	12V DC	385,800	HM4035L.3	Optional	42"x27.5"x39"	625
1075BE†	1.110-082.0	4.0	3500	Vanguard 400	408	12V DC	385,800	HM4035L.3	Optional	42"x27.5"x39"	625
1080BE†	1.110-567.0	4.6	3500	Vanguard 18	570	12V DC	385,800	HM4035L.3	Optional	42"x27.5"x39"	665
1080BE†	1.110-094.0	4.6	3500	LC2V80F-D	764	12V DC	385,800	HM4035L.3	Optional	42"x27.5"x39"	665


* Battery not required † 12V battery required, but not supplied E = Electric-start engine B = Belt Drive

DETERGENTS



To clean like a pro, you need to include detergents. Hotsy offers a full line of detergents for cleaning grease, dirt, road grime, aluminum, sanitation and so much more. Our detergents help you clean faster and save money.

PARTS & ACCESSORIES



Clean faster and more efficiently with pressure washer accessories like flat surface cleaners and turbo nozzles.

SERVICE



Hotsy factory-trained technicians keep your equipment running with on-site or in shop maintenance and tune-ups. Plus, we repair all brands.



Nothing Cleans Like a Hotsy!
EST. 1970

HOTSY.COM

Tel: 800.525.1976

Email: info@hotsy.com

NOTE: We are constantly improving and updating our products. Consequently, pictures, features & specifications in this brochure may differ slightly from current models. Flow rates & pressure ratings may vary due to variances allowed by manufacturers of our machine components. We meet the CETA testing specs for machine performance at +10% and in some cases are tighter within +_ 5% of listed specifications.

Specifications & product descriptions subject to change without notice. Hotsy's manufacturing facilities have established and apply a quality and environmental management system to be ISO 9001:2008 and ISO 14001:2001 certified.

VISIT US ONLINE

Facebook/Instagram HotsyCleaningSystems

LinkedIn Hotsy-Corp

Twitter TheHotsyMan

YouTube HotsyCleaningSystems

Get Hotsy Email Bit.ly/GetHotsy

© 2024 Kärcher North America

P/N HOT_GasEngineBelt Effective 01/24

Distributed by:



1210 N Oregon Ave • Pasco WA 99301
(509) 547-2323 | info@northstarhotsy.com

89 NE Columbia Blvd • Portland OR 97211
(503) 283-4011 | pdxinfo@northstarhotsy.com

NORTHSTARHOTSY.COM

GAS ENGINE ROLL CAGE SERIES



PRESSURE WASHERS / SINCE 1970

FEATURES

2.7 - 4.0 GPM @ 2400 to 3500 PSI
12V DC Burners



HOT WATER

OIL FIRED

BELT/DIRECT DRIVE

Heavy-duty regulator rectifier eliminates the need for battery

Stainless-steel coil skin provides extra durability and resists corrosion

Oil-fired Wayne burner

Lifting eyes let power equipment do the hoisting

8-gallon, removable, rust-proof polyethylene fuel tank has fuel gauge in cap

Protective Heavy-duty roll-cage chassis

Control box with adjustable temperature control, hour meter and burner on/off switch

Upstream detergent injection

Model 965SS:
Oil Fired, 3.0 GPM
@ 3000 PSI

Hotsy-designed triplex direct-drive pump carries a 7-year warranty

12" heavy-duty flat free tires

50-ft wire-braided high pressure hose with swivel on one end

Trigger gun control with cool-grip



Model 1075BE Compact:
4.0 GPM@ 3500 PSI;
Vanguard 400 engine; 12V
DC water heater (12V battery
required, not supplied)



MODEL	PART NO.	GPM	PSI	ENGINE	CCS	BURNER	BTU/HR	PUMP MODEL	DIMENSIONS (LXWXH)	SHIP WT (LBS)
871SS*	1.110-014.0	2.7	2400	Honda GX200	196	12V DC	248,500	HPP3035G	43"x27"x39"	410
965SSE CAL†	1.110-090.0	3.0	3000	Vanguard 400	408	12V DC	248,500	HPP3035G.1	47"x31"x41"	445
1065SSE CAL†	1.110-089.0	3.5	3000	Vanguard 400	408	12V DC	309,900	HS3540G.3	47"x31"x45"	510
1075SSE†	1.110-012.0	4.0	3500	Honda GX390	389	12V DC	309,900	HS4040G.3	47"x31"x45"	520
1075SSE CAL†	1.110-080.0	4.0	3500	Vanguard 400	408	12V DC	309,900	HS4040G.3	47"x31"x45"	520
1075BE Compact†	1.110-088.0	4.0	3500	Vanguard 400	408	12V DC	309,900	HM4035R.3	47"x31"x45"	520
1075BE Compact†	1.110-099.0	4.0	3500	Honda GX390	389	12V DC	309,900	HM4035R.3	47"x31"x45"	520

*Battery not required † 12V battery required, but not supplied E = Electric-start engine B=Belt

WARNING: This product can expose you to chemicals including Lead and Diisononyl Phthalate, which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

HOTSY.COM

NOTHING CLEANS LIKE A HOTSY!

NOTE: We are constantly improving and updating our products. Consequently, pictures, features & specifications in this brochure may differ slightly from current models, and subject to change without notice. Flow rates & pressure ratings may vary due to variances allowed by manufacturers of our machine components. We meet the CETA testing specs for machine performance at +_10% and in some cases are tighter within +_ 5% of listed specifications.

Hotsy's manufacturing facilities have established and apply a quality and environmental management system to be ISO 9001:2008 and ISO 14001:2001 certified.

© 2025 Kärcher North America
P/N HOT_GasEngineRollCage Effective 03/25

Distributed by:



1210 N Oregon Ave • Pasco WA 99301 • (509) 547-2323
89 NE Columbia Blvd • Portland OR 97211 • (503) 283-4011

NORTHSTARHOTSY.COM